# **Autonomous Underwater Vehicle for Homeland Defense and Research Support**

John Kloske
Department of Marine Science
University of South Florida
140 Seventh Ave. South
St. Petersburg, FL 33701

phone: (727) 553-1099 fax: (727) 553-3967 email: marops@marine.usf.edu

Scot T. Tripp
U.S Coast Guard
Research & Development Center for Ocean Technology
1082 Shennecossett Road
Groton, CT 06340

phone: (860) 441-2680 fax: (860) 441-2792 email: strip@rdc.uscg.mil

Grant Number: N000140210825

#### LONG-TERM GOALS

This is an accompanying project to the Autonomous Ship Detection project (ONR# N00014-02-1-0267). The Autonomous Ship Detection statement of work was modified due to the events of September-11-2001. The U.S. Coast Guard requested and received from the Office of Naval Research the approval to change the focus to the use of Autonomous Underwater Vehicles (AUV) for Port Security operations. This decision was approved in mid March-2002 and work commenced in the beginning of April- 2002. The Coast Guard has specified the use of 12-3/4" diameter vehicles to support the Port security efforts. This size restriction was not a consideration in the original proposal, therefore, we will purchase an appropriate AUV based on the vehicle specifications as defined by the results of the Autonomous Ship Detection project. This vehicle will also act as the research platform to test future instruments and applications.

#### **OBJECTIVES**

The primary objective is to purchase a 12-3/4" diameter AUV to support the Coast Guard's Port Security requirements for scanning a variety of underwater surfaces (ship hulls, docks & harbor bottoms). This will be addressed by identifying the AUV system requirements needed to support the sensor technologies and operational capabilities required for Homeland Defense applications and by developing the appropriate bid package.

### **APPROACH**

The Coast Guard has selected a laser based scanning instrument developed by the Center for Ocean Technology (COT) located at the University of South Florida (USF) (ONR# N00014-01-1-0279) as the primary sensor technology for initial integration and evaluation onboard a 12-3/4" AUV. This system, known as the Real-time Ocean Bottom Optical Topographer (ROBOT), uses a bistatic line imager to determine bottom or surface relief.

Report Documentation Page		Form Approved OMB No. 0704-0188
Public reporting burden for the collection of information is estimated to maintaining the data needed, and completing and reviewing the collect including suggestions for reducing this burden, to Washington Headqu VA 22202-4302. Respondents should be aware that notwithstanding ardoes not display a currently valid OMB control number.	ion of information. Send comments regarding this burden estimate arters Services, Directorate for Information Operations and Reports	or any other aspect of this collection of information, s, 1215 Jefferson Davis Highway, Suite 1204, Arlington
1. REPORT DATE 30 SEP 2002	2. REPORT TYPE	3. DATES COVERED <b>00-00-2002 to 00-00-2002</b>
4. TITLE AND SUBTITLE		5a. CONTRACT NUMBER
Autonomous Underwater Vehicle for Homeland Defense and Research Support		5b. GRANT NUMBER
		5c. PROGRAM ELEMENT NUMBER
6. AUTHOR(S)		5d. PROJECT NUMBER
		5e. TASK NUMBER
		5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  Department of Marine Science, University of South Florida,,140 Seventh  Ave. South,,St. Petersburg,,FL, 33701		8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution	ion unlimited	
13. SUPPLEMENTARY NOTES		
This is an accompanying project to the The Autonomous Ship Detection states. The U.S. Coast Guard requested and rethe focus to the use of Autonomous Unwas approved in mid March-2002 and has specified the use of 12-3/4??? diamwas not a consideration in the original the vehicle specifications as defined by will also act as the research platform to	ment of work was modified due to the received from the Office of Naval Residerwater Vehicles (AUV) for Port Sework commenced in the beginning of the vehicles to support the Port secuproposal, therefore, we will purchase the results of the Autonomous Ship	e events of September-11-2001. Search the approval to change ecurity operations. This decision of April-2002. The Coast Guard writy efforts. This size restriction e an appropriate AUV based on Detection project. This vehicle
15. SUBJECT TERMS		

c. THIS PAGE

unclassified

16. SECURITY CLASSIFICATION OF:

b. ABSTRACT

unclassified

a. REPORT

unclassified

17. LIMITATION OF ABSTRACT

Same as

Report (SAR)

18. NUMBER OF PAGES

4

19a. NAME OF RESPONSIBLE PERSON In order to develop and verify the operational requirements (specifications) for a 12-3/4" AUV platform, COT integrated the ROBOT into a 21" (53 cm) diameter AUV payload that mates with the underwater vehicle ROVEX that was developed by COT (ONR# N00014-02-1-0267). The autonomously guided underwater vehicle ROVEX was selected as the initial testing platform since the vehicle design supports a real time Ethernet and video connection that is extremely useful in developing subsea sensors. The use of this vehicle as an "AUV" test platform will terminate upon receipt of COT's commercially produced AUV scheduled for fall of 2003 as per this effort.



Figure 1. ROVEX with ROBOT payload

[The Laser imaging sensor ROBOT as an AUV payload connected to the autonomously guided underwater vehicle ROVEX. The white surface communications tow float is shown in the foreground.]

#### **WORK COMPLETED**

The results of the ROVEX-ROBOT operations from the ASD project have allowed us to start developing our requirements for a 12-3/4" diameter AUV.

#### **RESULTS**

An initial bid specification has been created based upon the results collected to date as described in the ONR report for the ASD project (ONR# N00014-02-1-0267).

### **IMPACT/APPLICATIONS**

The Coast Guard clearly needs a quick, efficient and cost affective method to scan underwater surfaces to look for potential sabotage as required to protect American seaports. The use of AUVs provides this by acting as a force multiplier (using several AUVs at once), provides a very stable sensor platform, easily supports a wide variety of sensors (Laser, Sonar, video, TNT, etc.) and minimizes or negates the risk to Coast Guard divers currently required for ship hull inspections.

## **TRANSITIONS**

## RELATED PROJECTS

This project is in support of the Advanced Underwater Port Security System (ONR# N00014-02-1-0859) in conjunction with the Autonomous Underwater Vehicle for Homeland Defense (ONR# N00014-02-1-0719). All of these projects are a result of the modified Autonomous Ship Detection System (ONR# N00014-02-1-0267).